

Stichting Hematologisch-Oncologisch Wetenschapsonderzoek (SHOW)

Bestuursverslag 2020

Inleiding

De Stichting Hematologisch-Oncologisch Wetenschapsonderzoek (SHOW) is opgericht op 13 oktober 1997. Statuten zijn vanaf die datum niet gewijzigd. De doelstelling van de stichting is het bevorderen van wetenschappelijk onderzoek van de afdeling Klinische Hematologie van het AMC. Dit onderzoek betreft oorzaak, diagnostiek en behandeling van bloedziekten. De financiële middelen van de stichting worden gebruikt om delen van dit onderzoek te financieren. De financiering kan bestaan uit salariskosten voor onderzoekspersoneel (overigens niet in dienst van de stichting) of bijdragen in de materiële kosten van het onderzoek. Op 1 januari 2008 heeft de belastingdienst de stichting aangemerkt als een Algemeen Nut Beogende Instelling (ANBI). Conform de per 1-1-2014 geldende nieuwe ANBI voorwaarden van de belastingdienst zijn begin november 2013 op de website www.steunhematologie.nl bestuurssamenstelling, bestuursverslag, samenvatting financieel verslag en de SHOW folder geplaatst. Een jaarlijkse update is verplicht (vóór 1 juli).

Overzicht van de belangrijkste ontwikkelingen in 2020

In 2020 werd in totaal slechts 6050 € aan donaties ontvangen. Het is onduidelijk of de algemene maatschappelijke onzekerheid tgv. COVID pandemie een (gedeeltelijke) verklaring is voor het in vergelijking tot eerdere jaren geringe aantal donaties.

Activiteiten betreffende de doelstelling van de stichting

Wereldwijd heeft de COVID pandemie in 2020 een grote negatieve invloed gehad op de onderzoeksmogelijkheden en activiteiten. Dit was ook merkbaar in het AMC. Zo kon de in 2019 met ruim 80.000€ ondersteunde TROS studie (Lage dosis ontijzering als behandeling van ontsteking en preventie van vaat- en orgaanschade bij sikkelcelpatiënten) pas in het eerste of tweede kwartaal van 2021 beginnen.

1. In 2020 werd 34.927 € betaald ter financiering van de sinds medio 2013 via de AMR aangestelde research analyst(e). Deze analyst(e) heeft een belangrijke rol in bewerking van bloedmonsters die patiënten voor onderzoek ter beschikking stellen. Deze worden vervolgens opgeslagen in de biobank, onder beheer van de afdeling. Deze biobank is van zeer grote waarde voor het onderzoek van de afdeling en draagt jaarlijks bij aan het tot stand komen van ongeveer 10 publicaties (zie publicatielijst).
2. Een korte buitenlandse stage van een promovenda werd met 1500 € ondersteund.

Publicaties voortkomend uit door SHOW gefinancierd onderzoek

- M. Jak et al. Enhanced formation and survival of CD4+ CD25hiFOXP3 + T cells in chronic lymphocytic leukemia. Leukemia Lymphoma 2009, vol. 50, p788-801.

- M. Jak et al. CD40 Stimulation enhances sensitivity of CLL cells to Rituximab-induced cell death. *Leukemia*, 2011 Jun;25 (6):968-78.
- M. Jak et al. CD 40 Stimulation sensitizes CLL cells to lysosomal cell death induction by GA101- A novel type II anti CD20 monoclonal antibody. *Blood* 2011. 118(19):5178-88
- Tonino SH, van Laar J, van Oers MH, Wang JY, Eldering E, Kater A.P. ROS-mediated upregulation of Noxa overcomes chemoresistance in chronic lymphocytic leukemia *Oncogene*. 2011 Feb 10;30(6):701-13.
- M.Jak: proefschrift : Micro-environment and anti-CD20 based therapies in CLL, 24 april 2012
- Pascutti MF, Jak M, Tromp JM, Derks IA, Remmerswaal EB, Thijssen R, van Attekum MH, van Bochove GG, Luijckx DM, Pals ST, van Lier RA, Kater AP, van Oers MH, Eldering E. IL-21 and CD40L signals from autologous T cells can induce antigen-independent proliferation of CLL cells. *Blood*. 2013 Oct 24;122(17):3010-9.
- Mohr J, Helfrich H, Fuge M, Eldering E, Bühler A, Winkler D, Volden M, Kater AP, Mertens D, Te Raa D, Döhner H, Stilgenbauer S, Zenz T. DNA damage-induced transcriptional program in CLL: biological and diagnostic implications for functional p53 testing. *Blood*. 2011 Feb 3;117(5):1622-32.
- te Raa GD, Fischer K, Verweij W, van Houte AJ, Kater AP, Biesma DH. Use of the CD19 count in a primary care laboratory as a screening method for B-cell chronic lymphoproliferative disorders in asymptomatic patients with lymphocytosis. *Clin Chem Lab Med*. 2011 Jan;49(1):115-20.
- te Raa GD, van Oers MH, Kater AP; HOVON CLL working party. Monoclonal B-cell lymphocytosis: recommendations from the Dutch Working Group on CLL for daily practice. *Neth J Med*. 2012 Jun;70(5):236-41. Review
- te Raa GD, Tonino SH, Remmerswaal EB, van Houte AJ, Koene HR, van Oers MH, Kater AP. Chronic lymphocytic leukemia specific T-cell subset alterations are clone-size dependent and not present in monoclonal B lymphocytosis. *Leuk Lymphoma*. 2012 Nov;53(11):2321-5.
- Te Raa GD, Malcikova J, Pospisilova S, Trbusek M, Mraz M, Garff-Tavernier ML, Merle-Béral H, Lin K, Pettitt AR, Merkel O, Stankovic T, van Oers MH, Eldering E, Stilgenbauer S, Zenz T, Kater AP; European Research Initiative on CLL (ERIC) Overview of available p53 function tests in relation to TP53 and ATM gene alterations and chemoresistance in chronic lymphocytic leukemia. *Leuk Lymphoma*. 2013 Aug;54(8):1849-53.
- Jethwa A, Hüllelein J, Stolz T, Blume C, Sellner L, Jauch A, Sill M, Kater AP, te Raa GD, Geisler C, van Oers M, Dietrich S, Dreger P, Ho AD, Paruzynski A, Schmidt M, von Kalle C, Glimm H, Zenz T. Targeted resequencing for analysis of clonal composition of recurrent gene mutations in chronic lymphocytic leukaemia. *Br J Haematol*. 2013 Nov;163(4):496-500
- te Raa GD, Pascutti MF, García-Vallejo JJ, Reinen E, Remmerswaal EB, ten Berge IJ, van Lier RA, Eldering E, van Oers MH, Tonino SH, Kater AP. CMV-specific CD8+ T-cell function is not impaired in chronic lymphocytic leukemia. *Blood*. 2014 Jan 30;123(5):717-24.

- Te Raa GD, Malčíková J, Mraz M, Trbusek M, Le Garff-Tavernier M, Merle-Béral H, Greil R, Merkel O, Pospíšilová S, Lin K, Pettitt AR, Stankovic T, van Oers MH, Eldering E, Stilgenbauer S, Zenz T, Kater AP; European Research Initiative on CLL (ERIC). Assessment of TP53 functionality in chronic lymphocytic leukaemia by different assays; an ERIC-wide approach *Br J Haematol.* 2014 167(4):565-9.
- Te Raa GD, Derks IA, Navrkalova V, Skowronska A, Moerland PD, van Laar J, Oldreive C, Monsuur H, Trbusek M, Malcikova J, Lodén M, Geisler CH, Hüllein J, Jethwa A, Zenz T, Pospisilova S, Stankovic T, van Oers MH, Kater AP, Eldering E. The impact of SF3B1 mutations in CLL on the DNA-damage response. *Leukemia* 2015 May;29(5):1133-42.
- te Raa GD¹, Moerland PD², Leeksma AC¹, Derks IA³, Yigittop H⁴, Laddach N⁴, Loden-van Straaten M⁴, Navrkalova V⁵, Trbusek M⁵, Luijks DM¹, Zenz T⁶, Skowronska A⁷, Hoogendoorn M⁸, Stankovic T⁷, van Oers MH⁹, Eldering E¹⁰, Kater AP¹ Assessment of p53 and ATM functionality in chronic lymphocytic leukemia by multiplex ligation-dependent probe amplification. *Cell Death Dis.* 2015 Aug 6;6:e1852
- Blume CJ¹, Hotz-Wagenblatt A², Hüllein J¹, Sellner L^{1,3}, Jethwa A¹, Stolz T¹, Slabicki M¹, Lee K¹, Sharathchandra A⁴, Benner A⁵, Dietrich S^{1,3}, Oakes CC⁶, Dreger P³, te Raa D^{7,8}, Kater AP^{7,8}, Jauch A⁹, Merkel O^{1,10}, Oren M⁴, Hielscher T⁵, Zenz T^{1,3} p53-dependent non-coding RNA networks in chronic lymphocytic leukemia. *Leukemia.* 2015 Oct;29(10):2015-23.
- te Raa GD: Proefschrift "Molecular characterization and prognosis in CLL"; 20 maart 2015
- de Heer K, van der Schee MP, Zwinderman K, van den Berk IA, Visser CE, van Oers R, Sterk PJ. Electronic nose technology for detection of invasive pulmonary aspergillosis in prolonged chemotherapy-induced neutropenia: a proof-of-principle study. *J Clin Microbiol.* 2013 May;51(5):1490-5.
- de Heer K¹, Kok MG², Fens N³, Weersink EJ³, Zwinderman AH⁴, van der Schee MP³, Visser CE⁵, van Oers MH², Sterk PJ³. Detection of Airway Colonization by *Aspergillus fumigatus* by Use of Electronic Nose Technology in Patients with Cystic Fibrosis. *J Clin Microbiol.* 2016 Mar;54(3):569-75
- de Heer, K.; Vonk, S. I.; Kok, M.; Kolader, M.; Zwinderman, A. H.; van Oers, M. H. J.; Sterk, P. J.; Visser, C. E. eNose technology can detect and classify human pathogenic molds in vitro: a proof-of-concept study of *Aspergillus fumigatus* and *Rhizopus oryzae*. *Journal of Breath research* 2016, Vol. 10 (3);036008
- de Heer K, Kok MG, Fens N, Weersink EJ, Zwinderman AH, van der Schee MP, Visser CE, van Oers MH, Sterk PJ. Correction for de Heer et al., Detection of Airway Colonization by *Aspergillus fumigatus* by Use of Electronic Nose Technology in Patients with Cystic Fibrosis. *J Clin Microbiol.* 2016 Jul;54(7):1926.
- de Kruif MD^{1,2}, Gerritsen MG^{2,3}, van Haren EH¹, Bel EH², Jonkers RE². Timing of broncho-alveolar lavage for galactomannan testing in hematological oncology patients. *Clin Respir J.* 2017 Jul;11(4):534-536.

- Gerritsen MG, Willemink MJ, Pompe E, van der Bruggen T, van Rhenen A, Lammers JW, Wessels F, Sprengers RW, de Jong PA, Minnema MC. Improving early diagnosis of pulmonary infections in patients with febrile neutropenia using low-dose chest computed tomography. *PLoS One*. 2017 Feb 24;12(2)
- Gerritsen MG, Brinkman P, Escobar N, Bos LD, de Heer K, Meijer M, Janssen HG, de Cock H, Wösten HAB, Visser CE, van Oers MHJ, Sterk PJ. Profiling of volatile organic compounds produced by clinical *Aspergillus* isolates using gas chromatography-mass spectrometry. *Med Mycol*.. 2018 Feb 1;56(2):253-256
- Kater AP, Kersting S, van Norden Y, Dubois J, Dobber JA, Mellink CH, Evers LM, Croon-de Boer F, Schreurs J, van der Spek E, Visser H, Idink C, Wittebol S, Hoogendoorn M, Tonino SH, Mobasher M, Levin MD; HOVON CLL study group. Obinutuzumab pretreatment abrogates tumor lysis risk while maintaining undetectable MRD for venetoclax + obinutuzumab in CLL. *Blood Adv*. 2018 Dec 26;2(24):3566-3571. doi: 10.1182/bloodadvances.2018019422. PubMed PMID: 30552161; PubMed Central PMCID: PMC6306887.
- de Weerd I, Hofland T, Lameris R, Endstra S, Jongejan A, Moerland PD, de Bruin RCG, Remmerswaal EBM, Ten Berge IJM, Liu N, van der Stelt M, Faber LM, Levin MD, Eldering E, Tonino SH, de Gruijl TD, van der Vliet HJ, Kater AP. Improving CLL V γ 9V δ 2-T-cell fitness for cellular therapy by ex vivo activation and ibrutinib. *Blood*. 2018 Nov 22;132(21):2260-2272.
- Kater AP, van Oers MHJ, van Norden Y, van der Straten L, Driessen J, Posthuma WFM, Schipperus M, Chamuleau MED, Nijland M, Doorduijn JK, Van Gelder M, Hoogendoorn M, De Croon F, Wittebol S, Kerst JM, Marijt EWA, Raymakers RAP, Schaafsma MR, Dobber JA, Kersting S, Levin MD; HOVON CLL study group. Feasibility and efficacy of addition of individualized-dose lenalidomide to chlorambucil and rituximab as first-line treatment in elderly and FCR-unfit patients with advanced chronic lymphocytic leukemia. *Haematologica*. 2019 Jan;104(1):147-154.
- Leeksma AC, Taylor J, Wu B, Gardner JR, He J, Nahas M, Gonen M, Alemayehu WG, Te Raa D, Walther T, Hülle J, Dietrich S, Claus R, de Boer F, de Heer K, Dubois J, Dampmann M, Dürig J, van Oers MHJ, Geisler CH, Eldering E, Levine RL, Miller V, Mughal T, Lamanna N, Frattini MG, Heaney ML, Zelenetz A, Zenz T, Abdel-Wahab O, Kater AP. Clonal diversity predicts adverse outcome in chronic lymphocytic leukemia. *Leukemia*. 2019 Feb;33(2):390-402
- Kater AP, Tonino SH, Spiering M, Chamuleau MED, Liu R, Adewoye AH, Gao J, Dreiling L, Xin Y, Doorduijn JK, Kersten MJ; HOVON Lunenburg Lymphoma Phase I/II Consortium. Final results of a phase 1b study of the safety and efficacy of the PI3K δ inhibitor acalisib (GS-9820) in relapsed/refractory lymphoid malignancies. *Blood Cancer J*. 2018 Feb 12;8(2):16.
- de Heer K, Gerritsen MG, Visser CE, Leeflang MM. Galactomannan detection in broncho-alveolar lavage fluid for invasive aspergillosis in immunocompromised patients. *Cochrane Database Syst Rev*. 2019 May 20;5.
- van Bruggen JAC, Martens AWJ, Fraietta JA, Hofland T, Tonino SH, Eldering E, et al. Chronic lymphocytic leukemia cells impair mitochondrial fitness in CD8(+) T cells and impede CAR T-cell efficacy. *Blood*. 2019 Jul 4;134(1):44-58.

- Leeksma AC, Taylor J, Wu B, Gardner JR, He J, Nahas M, et al. Clonal diversity predicts adverse outcome in chronic lymphocytic leukemia. *Leukemia*. 2019 Feb;33(2):390-402.
- Hofland T, de Weerd I, Ter Burg H, de Boer R, Tannheimer S, Tonino SH, et al. Dissection of the Effects of JAK and BTK Inhibitors on the Functionality of Healthy and Malignant Lymphocytes. *J Immunol*. 2019 Oct 15;203(8):2100-9.
- de Weerd I, Hofland T, de Boer R, Dobber JA, Dubois J, van Nieuwenhuize D, et al. Distinct immune composition in lymph node and peripheral blood of CLL patients is reshaped during venetoclax treatment. *Blood Adv*. 2019 Sep 10;3(17):2642-52
- Hofland T, Endstra S, Gomes CKP, de Boer R, de Weerd I, Bobkov V, et al. Natural Killer Cell Hypo-responsiveness in Chronic Lymphocytic Leukemia can be Circumvented In Vitro by Adequate Activating Signaling. *Hemasphere*. 2019 Dec;3(6):e308.
- De Heer K. Thesis "Exhaled Breath Analysis in the Diagnosis of Invasive Pulmonary Aspergillosis". Amsterdam June 26 2020. ISBN-13: 987-65-432-1234-5
- Hofland T, de Weerd I, Endstra S, Jongejan A, Platenkamp L, Remmerswaal EBM, et al. Functional Differences Between EBV- and CMV-Specific CD8(+) T cells Demonstrate Heterogeneity of T cell Dysfunction in CLL. *Hemasphere*. 2020 Apr;4(2):e337.
- Saberi Hosnijeh F, van der Straten L, Kater AP, van Oers MHJ, Posthuma WFM, Chamuleau MED, Bellido M, Doorduijn JK, van Gelder M, Hoogendoorn M, de Boer F, Te Raa GD, Kerst JM, Marijt EWA, Raymakers RAP, Koene HR, Schaafsma MR, Dobber JA, Tonino SH, Kersting SS, Langerak AW, Levin MD. Proteomic markers with prognostic impact on outcome of chronic lymphocytic leukemia patients under chemo-immunotherapy: results from the HOVON 109 study. *Exp Hematol*. 2020 Sep;89:55-60.e6
- Haselager MV, Kielbassa K, Ter Burg J, Bax DJC, Fernandes SM, Borst J, Tam C, Forconi F, Chiodin G, Brown JR, Dubois J, Kater AP, Eldering E. Changes in Bcl-2 members after ibrutinib or venetoclax uncover functional hierarchy in determining resistance to venetoclax in CLL. *Blood*. 2020 Dec 17;136(25):2918-2926.
- Martens AWJ, Janssen SR, Derks IAM, Adams IHC, Izhak L, van Kampen R, Tonino SH, Eldering E, van der Windt GJW, Kater AP. CD3xCD19 DART molecule treatment induces non-apoptotic killing and is efficient against high-risk chemotherapy and venetoclax-resistant chronic lymphocytic leukemia cells. *J Immunother Cancer*. 2020 Jun;8(1):e000218.
- Hofland T, de Weerd I, Endstra S, Jongejan A, Platenkamp L, Remmerswaal EBM, Moerland PD, Ten Berge IJM, Levin MD, Kater AP, Tonino SH. Functional Differences Between EBV- and CMV-Specific CD8⁺ T cells Demonstrate Heterogeneity of T cell Dysfunction in CLL. *Hemasphere*. 2020 Feb 13;4(2):e337.

Amsterdam, Juni 2021

Prof. Dr. M.H.J van Oers, voorzitter

Dr. P.L.J.M. Mertens, secretaris

A.W.J.M. Lafeber, financial controller

Prof. Dr. M.J. Kersten, lid

Prof. Dr. A.P. Kater, lid